200

134

>

400

167

600

200

>

SEQ ID NO:11

SEQ ID NO:1

213

¥

¥

م

Ω

O

Ξ

H

L

z

J

Ö

3

۵,

201

SEQ ID NO:2

642

۲,

S

168

601

GGAACCCCTAACTTGGATTGGGTAGTTCTAGGATTTTTTATT

67

4

Ö

S

U

35

201

H

Σ

101

...

.

68

301

300

100

200

34

ы

100

×

O

U

×

101

401

Σ

S

U

135

501

| 100 | 34 | 200 | 67 | 300 | 100 | 400 | 134 | 200 | 167 | ~ ! | | |
|--|--|---|--|--|--|---|--|---|--|--------------------------------------|---|--|
| ATGITAATIGCITIAITGATTATTITGGCCTACTIGATAGGCAGCATTCCATCTGGCTTAATTGTGGGCAAGCTTGCCAAAGGAATTGATATTCGGGAGC | TACAATTAACGAAATAACTAATAAAACCGGAIGAACIAICCGGAIGAACIAACGAATTAACGAAATAAAAAACGGAAATAAAAAAACGGAAATAAAAAACGGAAAAAAAA | M L I A L L I I L A Y L I G S S S S S S S S S S S S S S S S S S | TGCCTTCGCCGTTGAATCCGCGATGGTTACGTAAGGCATGIAACCCATGIAACCATGGTTACGTAAGGCATGIAACCATGGTTACGTAAGGCATGIAACCATGIAACCATGGTTACGTAAGGCATGIAACCATGAACATGAACATGAACATAAGAAAAAAAAAA | G S G N L G A T N A F N I L G A T N A F N I L G A T N A F N I L G A T N A F N I L G A T CACCGCTTCTTGCAGGAC | TIGACGIAAAGGAAAAGAGTACGTACAACTATAAGTGGGCGAAGAACGICLICAAAAGAAGAAAAGAAGTACGTAAAGGGAAAAGAGTACGTAAAGTACGTAAAGAGTACGTAAAGAGTACGTAAAGAAGAAAAGAAAAGAACTATAAAGTGGGCGAAGAAAGA | T A L P F L M H V D I H F L M H V D I H F L M H T L M H T L M H T L M H T L M H T L M T L | COCCATITOGCACCGCTGTAGTCCTCCGCAAAACGATAAAAGCCCCATTCGGCACCGCTGTAGTCCTCCGCAAAACGATAAAAGCCAAAACGATAAAAGCAAAAACGAAAAACGATAAAAGCCAAAAAGCAAAAAAGCAAAAAAGCAAAAAAGCAAAAAA | G G K A V A T S G G V L L F G G G G G G G G G G G G G G G G G | 401 CTAMALLISTICS CONTROCTACATTGTCCCTAGATATGACMALAIN | 135 K F V S L S S M L T G I Y I NO.4 | GIGATARATHTIGIGALALACTORIGICIOCOCTIGIAATHIGCTTAATAGTIATILIGICIOCOCTIGIAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA | |
| | | | ~ | • | ñ | • | M | - | 4 | • • | - | |

Matter No.: 06286-090002 Page Applicant(s): Christian Fritz et al. USE OF YNES, ESSENTIAL BACTERIAL GENES AND POLYPEPTIDES



